

MPB

MOBILE POWER BANK MPB03



MODEL	MPB03
Total Battery Capacity	3KWH
Cell Type	Lithium Iron Phosphate LFP BATTERY
Housing Material	Metal Plate
Output Socket	2 X 3-hole 16A Industrial Socket
Input Method	DC IN
Charging Method	AC 220 High Voltage DC
Dimension	460 (L) X 240 (W) X 850 (H) (Include Handle)
Weight	29 KGS
Protection Level	IP54
Cooling Method	Forced Air Cooling (Self-Regulating)

MPB



Photo from www.istockphoto.com

**No cables. No outages.
Unstoppable construction power.**



MPB

MOBILE POWER BANK



Power for construction works



Power for renovation works




Power for construction works



Power for municipal maintenance



Power for tunnel engineering



Power for Work at Height

Built to Power on - Anywhere & Anytime.

TECHNICAL ADVANTAGES



- Triple Security Guarantee
- Premium Lithium Iron Phosphate Battery Cells
- Triple Capacity & Extended Lifespan
- Aerosol fire Suppression System



- Engineering-Grade Structural Support
- High-Strength Sheet Metal Protection
- Comprehensive Environmental Shielding
- Portable Wheeled Support



- Superior Load Protection
- Self-Balancing High-Flow BMS Board
- Triple Peak Power Output
- Ultra-Long Verification Through Destructive Testing



- Reliable Temporary Power Supply
- Low-Voltage DC with Isolated Grid
- Integrated Safety System
- Extended Power Access Range



- Flexible Voltage Switching
- High Power Output
- Parallel Generator Capability
- Engineered for Demanding Projects



- Intelligent Control & Efficient Charging
- OTA Remote Management System
- Shared Temporary Power Management
- Extended Power Access Range

MPB

MOBILE POWER BANK



For Sales enquiries, please contact us:



NUTECH EQUIPMENT (S) PTE LTD



67522282



enquiries@nutechequipment.com.sg



**3 ANG MO KIO STREET 62 #01-05 LINK@AMK
SINGAPORE 569139**