



# MOBILE POWER BANK MPB42



MODEL	MPB42
Total Battery Capacity	42KWH
Cell Type	Lithium Iron Phosphate LFP BATTERY
Housing Material	Metal Plate
Output Socket	1 X 5-hole 63A Industrial Aviation Socket 3 X 3-hole 16A Industrial Aviation Socket
Input Method	DC IN
Charging Method	AC 220/380 High Voltage DC
Dimension	1050 (L) X 750 (W) X 1250 (H)
Weight	480KG
Protection Level	IP54
Cooling Method	Forced Air Cooling (Self-Regulating)



**No cables. No outages.  
Unstoppable construction power.**







# MOBILE POWER BANK



**Power for construction works**



**Power for renovation works**



**Power for construction works**



**Power for municipal maintenance**



**Power for tunnel engineering**



**Power for Work at Height**

**Built to Power on - Anywhere & Anytime.**

# TECHNICAL ADVANTAGES



- Triple Security Guarantee
- Premium Lithium Iron Phosphate Battery Cells
- Triple Capacity & Extended Lifespan
- Aerosol fire Suppression System



- Engineering-Grade Structural Support
- High-Strength Sheet Metal Protection
- Comprehensive Environmental Shielding
- Portable Wheeled Support



- Superior Load Protection
- Self-Balancing High-Flow BMS Board
- Triple Peak Power Output
- Ultra-Long Verification Through Destructive Testing



- Reliable Temporary Power Supply
- Low-Voltage DC with Isolated Grid
- Integrated Safety System
- Extended Power Access Range



- Flexible Voltage Switching
- High Power Output
- Parallel Generator Capability
- Engineered for Demanding Projects



- Intelligent Control & Efficient Charging
- OTA Remote Management System
- Shared Temporary Power Management
- Extended Power Access Range



# MOBILE POWER BANK



For Sales enquiries, please contact us:



**NUTECH EQUIPMENT (S) PTE LTD**



**67522282**



**[enquiries@nutechequipment.com.sg](mailto:enquiries@nutechequipment.com.sg)**



**3 ANG MO KIO STREET 62 #01-05 LINK@AMK  
SINGAPORE 569139**