



MOBILE POWER BANK MPB15



MODEL	MPB15
Total Battery Capacity	15KWH
Cell Type	Lithium Iron Phosphate LFP BATTERY
Housing Material	Metal Plate
Output Socket	1 X 4-hole 32A Industrial Socket 2 X 3-hole 16A Industrial Socket
Input Method	DC IN
Charging Method	AC 220/380 High Voltage DC
Dimension	705 (L) X 465 (W) X 755 (H)
Weight	225 KGS
Protection Level	IP54
Cooling Method	Forced Air Cooling (Self-Regulating)



Photo from www.istockphoto.com

**No cables. No outages.
Unstoppable construction power.**





MOBILE POWER BANK



Power for construction works



Power for renovation works



Power for construction works



Power for municipal maintenance



Power for tunnel engineering



Power for Work at Height

Built to Power on - Anywhere & Anytime.

TECHNICAL ADVANTAGES



- Triple Security Guarantee
- Premium Lithium Iron Phosphate Battery Cells
- Triple Capacity & Extended Lifespan
- Aerosol fire Suppression System



- Engineering-Grade Structural Support
- High-Strength Sheet Metal Protection
- Comprehensive Environmental Shielding
- Portable Wheeled Support



- Superior Load Protection
- Self-Balancing High-Flow BMS Board
- Triple Peak Power Output
- Ultra-Long Verification Through Destructive Testing



- Reliable Temporary Power Supply
- Low-Voltage DC with Isolated Grid
- Integrated Safety System
- Extended Power Access Range



- Flexible Voltage Switching
- High Power Output
- Parallel Generator Capability
- Engineered for Demanding Projects



- Intelligent Control & Efficient Charging
- OTA Remote Management System
- Shared Temporary Power Management
- Extended Power Access Range



MOBILE POWER BANK



For Sales enquiries, please contact us:



NUTECH EQUIPMENT (S) PTE LTD



67522282



enquiries@nutechequipment.com.sg



**3 ANG MO KIO STREET 62 #01-05 LINK@AMK
SINGAPORE 569139**